Author Index of Volume 136

Abu-El-Wafa, S. M., 127
Ahmed, F. H., 127
Allman, T., L21
Al Taies, J., 99
Arriortua, M. I., 87

Baumgartner, M., 139
Bensch, W., 139
Berthon, G., 165
Blahová, M., 117

Cabras, M. A., 17
Carvalho, S., 159
Casassas, E., 177
Castera, P., 41
Christou, G., L41

Decock-Le Révérend, B., 173
Dill, K., L37
Dubler, E., 139

Egbewatt, A. N., L37
Elo, H., L33, 61, 149
El-Ries, M. A., 127

Ferrari, R. P., 123
Filella, M., 177
Friebel, C., 117
Fukuda, M., 47

Gasiorowski, K., 185
Gervasini, A., 81, 111
Ghose, A. K., 21
Ghose, R., 21
Gutierrez-Valero, M. D., 87

Hacht, B., 165
Hartmann, H.-J., 107
Hitchcock, A. P., L1
Hondrellis, V., 1
Hug, P., 139

Ikeda, M., 47
Ikeda, T., 47
Iwaizumi, M., L17
Iwasaki, H., L17

Jha, N. K., 65
Jolles, P., 173

Kabanos, T., 1
Karayannis, N. M., L13
Kohli, R. K., 75
Kontoghiorghes, G. J., L11
Kozłowski, H., 185
Krätsmár-Šmogrovič, J., 117
Kumar, A., 65
Kumar, M., 65

Labarre, J.-F., 41, 53
Lee, C. J., L13
Lenkinski, R. E., L21
Livera, C., 173
Lopez-Garzon, R., 87
Loucheux, C., 173
Lukas, B., 99
Lumme, P., 61, 149

Malatesta, V., 81, 111
Markopoulos, J., L25
Martinez, P., 11
Marzona, M., 123
Masuda, H., L29
Matsubara, T., L17
Ménard, R., 25
Migliore-Samour, D., 173
Mikulski, C. M., L13
Mohan, M., 65
Morazzoni, F., 81, 111
Mutikainen, I., 155

Nakahara, A., L17
Nakaya, J.-I., 47
Nath, A., 75
Nawi, M. A., 33

Paniago, E. B., 159
Pawłowski, T., 185
Perlepes, S. P., 1
Pettit, L. D., 173
Phan Viet, M. T., 25
Plesch, G., 117
Pneumatikakis, G., L25

Rehder, D., L7
Riddell, F. G., 133
Riechel, T. L., 33
Romero-Molina, M. A., 87

Salas-Peregrin, J. M., 87
Sanchez, M., 53
Sato, M., 47
Schechinger, T., 107
Sheppard, L., L11
Silver, J., 99
Singh, U. P., 21
Southon, T. E., 133
Stephan, D. W., L1
Sunila, I., 61
Suzuki, S., L17
Swiatek, J., 185

Tajmir-Riahi, H. A., 93
Tsangaris, J. M., 1
Tran, T. B., L13

Uribe, D., 11

van Eldik, R., 11
Vilter, H., L7
Vincent, J. B., L41

Weser, U., 107
Williams, D. R., 177
Willson, M., 53

Yamauchi, O., L29
Yannopoulos, A., L25
Yoshimura, T., L27

Zador, M., 25
Zoroddu, M. A., 17
Zuluaga, J., 11
Zuñiga, F. J., 87

© Elsevier Sequoia/Printed in Switzerland

Subject Index of Volume 136

Acetato complexes
  EPR, ligand field spectra and antimicrobial activity of dimeric aryloxyacetatocopper(II) complexes with antipyrine, 117
Acid complexes
  formation constants and coordination in transition metal complexes of glycinehydroxamic acid, 159
  interaction of Mn^{2+} and Gd^{3+} with phytic acid, L37
Adriamycin complexes
  ^1H NMR study of reaction of adriamycin with Pd(II), L21
Alkali complexes
  contrast reagents for NMR spectra of alkali metals, 113
Amavadine complexes
  electrochemistry of amavadine, V natural product, 33
Amide complexes
  metal complexes containing monoanion, dianion and neutral form of ligand *N*-(2-carboxylphenyl)pyridine-2′-carboxamide, 1
Amine complexes
  crystal structure of triammine(orotato)Zn(II) monohydrate, 155
  structural basis for nucleic base–metallointercalator interactions; crystal structure of [Pt(2,2′-bipyridine)(ethylenediamine)]·AMP·$10H_2O$ (AMP = adenosine 5′-monophosphate), L29
Anthracycline complexes
  anthracycline–Cu(II) complexes; structure-dependent coordination pattern as evidenced by ESR, 111
  chelation of Cu(II) ions by doxorubicin and 4′-epidoxorubicin; ESR evidence for new complex at high anthracycline/Cu molar ratios, 81
Anti-cancer activity
  complexes of some trace metal ions with 5-fluorouracil, 21
Antipyretic activity
  EPR, ligand field spectra and antimicrobial activity of dimeric aryloxyacetatocopper(II) complexes with antipyrine, 117
Antipyrine complexes
  EPR, ligand field spectra and antimicrobial activity of dimeric aryloxyacetatocopper(II) complexes with antipyrine, 117
Antitumor activity
  arizidinocyclophosphazenes linked to polyamines 1,5-diaminopentane (cadaverine) and higher cousins, 41
  trans-bis(salicylaldoximato)Cu(II) and its derivatives as antiproliferative and antineoplastic agents; review, 149
  chelation of Cu(II) ions by doxorubicin and 4′-epidoxorubicin; ESR evidence for new complex at high anthracycline/Cu molar ratios, 81
  ^1H NMR study of reaction of adriamycin with Pd(II), L21
  reaction of antiproliferative and antineoplastic agent *trans*-bis(salicylaldoximato)Cu(II) and related chelates with glutathione and cysteine; correlation between reactivity and biological activity, L33
  synthesis, characterization and, of Mn(II), Co(II), Ni(II), Cu(II), Zn(II) and Pt(II) complexes of 3- and 5-substituted salicylaldehyde benzoylhydrazones, 65
Aroylhydrazone complexes
  synthesis, characterization and antitumor activity of Mn(II), Co(II), Ni(II), Cu(II), Zn(II) and Pt(II) complexes of 3- and 5-substituted salicylaldehyde benzoylhydrazones, 65
Azide compounds
  gem-tetraziridinocyclotriphosphazene diazide, $N_3P_3Az_4(N_3)_2$, synthon to monophosphazenylmonoazido derivatives of biological interest, 53

Bidentate ligand complexes
  trans-bis(salicylaldoximato)Cu(II) and its derivatives as antiproliferative and antineoplastic agents; review, 149
  crystal structure of triammine(orotato)Zn(II) monohydrate, 155
  metal complexes containing monoanion, dianion and neutral form of ligand *N*-(2-carboxylphenyl)pyridine-2′-carboxamide, 1
  reaction of antiproliferative and antineoplastic agent *trans*-bis(salicylaldoximato)Cu(II) and related chelates with glutathione and cysteine; correlation between reactivity and biological activity, L33
  simple synthesis of potent Fe chelators 1-alkyl-3-hydroxy-2-methylpyrid-4-ones, L11
  structural basis for nucleic base–metallointercalator interactions; crystal structure of [Pt(2,2′-bipyridine)(ethylenediamine)]·AMP·$10H_2O$ (AMP = adenosine 5′-monophosphate), L29

© Elsevier Sequoia/Printed in Switzerland

studies on acute toxicity of antineoplastic metal chelate *trans*-bis(salicylaldoximato)Cu(II) in rats, 61

Biguanide complexes
formation of metformin complexes with some transition metal ions; their biological activity, 127

Binuclear complexes
formation and scission of imidazolate-bridge linkage in binuclear Cu(II) complex with glycylglycine as a function of pH in aqueous solution, 47

Biological activity
formation of metformin complexes with some transition metal ions, 127

Cadmium complexes
EXAFS studies of $[N(C_2H_5)_4]_2[M(SC_6H_5)_4]$ and $[N(C_2H_5)_4]_2[M_4(SC_6H_5)_{10}]$ (M = Zn, Cd); model compounds for Zn and Cd metallothioneins, L1
formation constants for complexes of mercaptosuccinate with Cd(II) and computer simulation of its ability to mobilize low molecular weight fraction of Cd(II) in blood plasma, 177
studies on pyrimidine derivative complexes; spectroscopy, thermal behaviour and crystal structure of μ-dichloro-μ-sulphur-chloro(4,6-diamino-1,2-dihydro-2-thiopyrimidine-N^3,S^2)-Cd(II) monohydrate, 87

Carbohydrate complexes
carbohydrate–Ag complexes; interaction of β-D-glucurono-γ-lactone with Ag(I) ion and effect of metal ion binding on sugar hydrolysis, 93

Carbonyl complexes
interaction of bis[μ-chlorodicarbonylrhodium(I)] with nucleosides, L25

Chelate complexes
trans-bis(salicylaldoximato)Cu(II) and its derivatives as antiproliferative and antineoplastic agents; review, 149
crystal structure of triammine(orotato)Zn(II) monohydrate, 155
metal complexes containing monoanion, dianion and neutral form of ligand *N*-(2-carboxylphenyl)pyridine-2′-carboxamide, 1
reaction of antiproliferative and antineoplastic agent *trans*-bis(salicylaldoximato)Cu(II) and related chelates with glutathione and cysteine; correlation between reactivity and biological activity, L33
simple synthesis of potent Fe chelators 1-alkyl-3-hydroxy-2-methylpyrid-4-ones, L11
studies on acute toxicity of antineoplastic metal chelate *trans*-bis(salicylaldoximato)Cu(II) in rats, 61

Cluster complexes
thermal degradation of Cu(I) thiolate clusters and crystal structure of solvent-free $(Ph_4P)_2[Cu_4(SPh)_6]$, 139

Cobalamin complexes
is it isomerization of cobalamins or simple hydrolysis of a propionamide side chain?, 75

Collagen complexes
on the analogy and specificity of Cu(II) binding sites in type I and type IV collagen, 123

Copper complexes
on the analogy and specificity of Cu(II) binding sites in type I and type IV collagen, 123
anthracycline–Cu(II) complexes; structure dependent coordination pattern as evidenced by ESR, 111
trans-bis(salicylaldoximato)Cu(II) and its derivatives as antiproliferative and antineoplastic agents; review, 149
chelation of Cu(II) ions by doxorubicin and 4′-epidoxorubicin; ESR evidence for new complex at high anthracycline/Cu molar ratios, 81
Cu(II) transfer into apo-Cu_2Zn_2-superoxide dismutase from Cu–thionein oxidized by activated leukocytes, 107
cytosine complexes with Cu(II) perchlorate, L13
EPR, ligand field spectra and antimicrobial activity of dimeric aryloxyacetatocopper(II) complexes with antipyrine, 117
formation and scission of imidazolate-bridge linkage in binuclear Cu(II) complex with glycylglycine as a function of pH in aqueous solution, 47
interaction of Cu(II) with lipotetrapeptide, 173
polarographic studies on Cu(II) and Ni(II) ion interactions with DNA, 185
reaction of antiproliferative and antineoplastic agent *trans*-bis(salicylaldoximato)Cu(II) and related chelates with glutathione and cysteine; correlation between reactivity and biological activity, L33
studies on acute toxicity of antineoplastic metal chelate *trans*-bis(salicylaldoximato)Cu(II) in rats, 61
thermal degradation of Cu(I) thiolate clusters and crystal structure of solvent-free $(Ph_4P)_2[Cu_4(SPh)_6]$, 139

Crystal structure(s)
of μ-dichloro-μ-sulphur-chloro(4,6-diamino-1,2-dihydro-2-thiopyrimidine-N^3,S^2)Cd(II) monohydrate, 87
molecular 'double-pivot' mechanism for water oxidation, L41
of $(Ph_4P)_2[Cu_4(SPh)_6]$, 139
of [Pt(2,2′-bipyridine)(ethylenediamine)]·AMP·$10H_2O$ (AMP = adenosine 5′-monophosphate), L29
of triammine(orotato)Zn(II) monohydrate, 155

Cyclophosphazene compounds
arizidinocyclophosphazenes linked to polyamines 1,5-diaminopentane (cadaverine) and higher cousins, 41
Cytochrome complexes
effect of Na dodecyl sulfate on spectral properties of nitric oxide complex of ferrous cytochrome *c'* from *Alcaligenes sp.* NCIB 11015, L17

DNA complexes
polarographic studies on Cu(II) and Ni(II) ion interactions with DNA, 185

Electrochemistry
of amavadine, V natural product, 33
polarographic studies on Cu(II) and Ni(II) ion interactions with DNA, 185
Enzyme complexes
Cu(II) transfer into apo-Cu_2Zn_2-superoxide dismutase from Cu–thionein oxidized by activated leukocytes, 107
formation and scission of imidazolate-bridge linkage in binuclear Cu(II) complex with glycylglycine as a function of pH in aqueous solution, 47

Fluorouracil complexes
complexes of some trace metal ions with 5-fluorouracil, 21

Gadolinium complexes
interaction of Mn^{2+} and Gd^{3+} with phytic acid, L37

Iron complexes
effect of Na dodecyl sulfate on spectral properties of nitric oxide complex of ferrous cytochrome *c'* from *Alcaligenes sp.* NCIB 11015, L17
Mössbauer studies on tetra(*p*-sulphophenyl)-porphyrin Fe(II) solutions, 99
oxidation of L-ascorbic acid by trisoxalatoferrate-(III) in aqueous solution; kinetic and spectroscopic evidence for formation of intermediate species, 11
simple synthesis of potent Fe chelators 1-alkyl-3-hydroxy-2-methylpyrid-4-ones, L11

Kinetics and mechanism
formation constants
for complexes of mercaptosuccinate with Cd-(II) and computer simulation of its ability to mobilize low molecular weight fraction of Cd(II) in blood plasma, 177
and coordination in transition metal complexes of glycinehydroxamic acid, 159
interaction of (dien)Pd(II) complexes with amino group of cytidine; kinetic and NMR study, 25
metal ion – FTS nonapeptide interactions; quantitative study of Zn(II)–nonapeptide complexes (thymulin) under physiological conditions and assessment of their biological significance, 165
oxidation of L-ascorbic acid by trisoxalatoferrate-(III) in aqueous solution; kinetic and spectroscopic evidence for formation of intermediate species, 11

Lipopeptide complexes
interaction of Cu(II) with lipotetrapeptide, 173

Manganese complexes
interaction of Mn^{2+} and Gd^{3+} with phytic acid, L37
molecular 'double-pivot' mechanism for water oxidation, L41
Mass spectrometry
is it isomerization of cobalamins or simple hydrolysis of a propionamide side chain?, 75
Mercaptoacid complexes
formation constants for complexes of mercaptosuccinate with Cd(II) and computer simulation of its ability to mobilize low molecular weight fraction of Cd(II) in blood plasma, 177
Metal complexes
complexes of some trace metal ions with 5-fluorouracil, 21
containing monoanion, dianion and neutral form of ligand *N*-(2-carboxylphenyl)pyridine-2'-carboxamide, 1
contrast reagents for NMR spectra of alkali metals, 133
formation constants and coordination in transition metal complexes of glycinehydroxamic acid, 159
formation of metformin complexes with some transition metal ions; their biological activity, 127
of phytohormones; Cu(II) complexes of 6-furfurylaminopurine (kinetin), 17
synthesis, characterization and antitumor activity of Mn(II), Co(II), Ni(II), Cu(II), Zn(II) and Pt(II) complexes of 3- and 5-substituted salicylaldehyde benzoylhydrazones, 65
Metallothionein complexes
EXAFS studies of $[N(C_2H_5)_4]_2[M(SC_6H_5)_4]$ and $[N(C_2H_5)_4]_2[M_4(SC_6H_5)_{10}]$ (M = Zn, Cd); model compounds for Zn and Cd metallothioneins, L1

Nickel complexes
polarographic studies on Cu(II) and Ni(II) ion interactions with DNA, 185
Nitrogen complexes
effect of Na dodecyl sulfate on spectral properties of nitric oxide complex of ferrous cytochrome *c'* from *Alcaligenes sp.* NCIB 11015, L17

NMR studies
contrast reagents for NMR spectra of alkali metals, 133
Nucleic acid complexes
interaction of (dien)Pd(II) complexes with amino group of cytidine; kinetic and NMR study, 25
Nucleobase complexes
cytosine complexes with Cu(II) perchlorate, L13
Nucleoside complexes
interaction of bis[μ-chlorodicarbonylrhodium(I)] with nucleosides, L25
Nucleotide complexes
structural basis for nucleic base–metallointercalator interactions; crystal structure of [Pt(2,2′-bipyridine)(ethylenediamine)]·AMP·$10H_2O$ (AMP = adenosine 5′-monophosphate, L29

Oxidation
of L-ascorbic acid by trisoxalatoferrate(III) in aqueous solution; kinetic and spectroscopic evidence for formation of intermediate species, 11
molecular 'double-pivot' mechanism for water oxidation, L41
Oxide complexes
effect of Na dodecyl sulfate on spectral properties of nitric oxide complex of ferrous cytochrome *c′* from *Alcaligenes sp.* NCIB 11015, L17
Oxo complexes
molecular 'double-pivot' mechanism for water oxidation, L41

Palladium complexes
^{1}H NMR study of reaction of adriamycin with Pd(II), L21
interaction of (dien)Pd(II) complexes with amino group of cytidine; kinetic and NMR study, 25
Peptide complexes
metal ion–FTS nonapeptide interactions; quantitative study of Zn(II)–nonapeptide complexes (thymulin) under physiological conditions and assessment of their biological significance, 165
Peroxidase complexes
^{51}V NMR investigation of a vanadate(V)-dependent peroxidase from *Ascophyllum nodosum* (*L.*) *Le Jol*, L7
Phosphazene compounds
gem-tetraziridinocyclotriphosphazene diazide, $N_3P_3Az_4(N_3)_2$, synthon to monophosphazenyl-monoazido derivatives of biological interest, 53
Platinum complexes
structural basis for nucleic base–metallointercalator interactions; crystal structure of [Pt(2,2′-bipyridine)(ethylenediamine)]·AMP·$10H_2O$ (AMP = adenosine 5′-monophosphate), L29
Polyamine compounds
arizidinocyclophosphazenes linked to polyamines 1,5-diaminopentane (cadaverine) and higher cousins, 41
Polynuclear complexes
molecular 'double-pivot' mechanism for water oxidation, L41
Porphyrin complexes
Mössbauer studies on tetra(*p*-sulphophenyl)-porphyrin Fe(II) solutions, 99
Protein complexes
Cu(II) transfer into apo-Cu_2Zn_2-superoxide dismutase from Cu–thionein oxidized by activated leukocytes, 107
EXAFS studies of $[N(C_2H_5)_4]_2[M(SC_6H_5)_4]$ and $[N(C_2H_5)_4]_2[M_4(SC_6H_5)_{10}]$ (M = Zn, Cd); model compounds for Zn and Cd metallothioneins, L1
Purine complexes
Cu(II) complexes of 6-furfurylaminopurine (kinetin), 17
Pyrimidine complexes
studies on pyrimidine derivative complexes; spectroscopy, thermal behaviour and crystal structure of μ-dichloro-μ-sulphur-chloro(4,6-diamino-1,2-dihydro-2-thiopyrimidine-N^3,S^2)-Cd(II) monohydrate, 87

Rhodium complexes
interaction of bis[μ-chlorodicarbonylrhodium(I)] with nucleosides, L25

Silver complexes
carbohydrate–Ag complexes; interaction of β-D-glucurono-γ-lactone with Ag(I) ion and effect of metal ion binding on sugar hydrolysis, 93

Thiolate complexes
thermal degradation of Cu(I) thiolate clusters and crystal structure of solvent-free $(Ph_4P)_2[Cu_4(SPh)_6]$, 139
Toxicity
studies on acute toxicity of antineoplastic metal chelate *trans*-bis(salicylaldoximato)Cu(II) in rats, 61

Vanadium complexes
electrochemistry of amavadine, V natural product, 33
^{51}V NMR investigation of a vanadate(V)-dependent peroxidase from *Ascophyllum nodosum* (*L.*) *Le Jol*, L7
Vitamin C complexes
oxidation of L-ascorbic acid by trisoxalatoferrate(III) in aqueous solution; kinetic and spectroscopic evidence for formation of intermediate species, 11

Zinc complexes

crystal structure of triammine(orotato)Zn(II) monohydrate, 155
EXAFS studies of $[N(C_2H_5)_4]_2[M(SC_6H_5)_4]$ and $[N(C_2H_5)_4]_2[M_4(SC_6H_5)_{10}]$ (M = Zn, Cd); model compounds for Zn and Cd metallothioneins, L1
metal ion–FTS nonapeptide complexes; quantitative study of Zn(II)–nonapeptide complexes (thymulin) under physiological conditions and assessment of their biological significance, 165